

**SUPPLY, DELIVER & INSTALL CTE SMALLWARES EQUIPMENT
ADDENDUM NO. 1****Project:** Waltham High School **Project No. 16030****Owner:** City of Waltham
610 Main Street
Waltham, MA 02452**Architect/Equipment Consultant:**Symmes Maini & McKee Associates (SMMA)
1000 Massachusetts Avenue
Cambridge, MA 02138
617-547-5400; FAX 617-354-5758**Date:** 02/16/2024

This addendum forms a part of the Contract Documents and modifies the original Invitation to Bid (BID #BD-24-1169-WLTHM-97883) dated 02/05/2024. Portions of the Invitation to Bid not altered by this addendum remain in full force.

Changes are indicated in the text below.

Acknowledge receipt of this addendum in the space provided on the Bid Form. Failure to do so may subject the Bidder to disqualification.

CHANGES TO INVITATION TO BID

1. Page 0 / Cover Sheet
 - a. Quote Opening Date: CHANGE from “02/20/2024” to “02/21/2024”
2. Page 1
 - a. Second paragraph: CHANGE “Tuesday, 20 February 2024” to “Wednesday, 21 February 2024”
 - b. Bid address, bold in third paragraph: CHANGE the following text from: “02/24/2024” to “**02/21/2024**”
3. Page 2
 - a. Paragraph 1.4
 - i. CHANGE date (last line) from “02/20/2024” to “02/21/2024”

4. Page 14
 - a. INSTRUCTIONS TO BIDDERS Paragraph 1.2
 - i. ADD the following text at the end of the paragraph: “The following Equipment Sections will be delivered to and installed in program spaces that are located on Level 3, which will require carrying equipment up one level of stairs: **Health**. The following Equipment Sections will be delivered to and installed in program spaces that are located on Level 4, which will require carrying equipment up two levels of stairs: **Environmental Science**. All other Equipment Sections in this bid package will be delivered to and installed on Levels 1 or 2, both of which are accessible from grade at one end of the building or the other and will not require carrying up stairs. A loading dock will be available only at Level 1, where the following program spaces are located: **Auto Collision, Auto Tech, Cosmetology, Early Childcare, Graphics, HVAC**”
 - b. Paragraph 1.6
 - i. CHANGE “Tuesday, February 20, 2024” to “Wednesday, February 21, 2024”

CHANGES TO EQUIPMENT BID FORMS

5. Auto Collision
 - a. AC113
 - i. ADD Make & Model “AlumaFeed 350 Mpa stationary pkg with 25ft. air-cooled XR-Alumapro 951834”
 - b. AC184
 - i. ADD Make & Model “34440”
6. Electrical
 - a. EL129
 - i. CHANGE Item Description from “Key Cabinet - Digital Lock, 65 Key” to “Key Cabinet - Digital Lock, 65 Key, mounted”
 - b. EL132
 - i. CHANGE Item Description from “Lockout/Tagout Wall Mount Station” to “Lockout/Tagout Wall Mount Station, mounted”
 - c. EL135
 - i. CHANGE Item Description from “Industrial Wall Mount Fan - 30", Oscillating” to “Industrial Wall Mount Fan - 30", Oscillating, loose”

- d. EL138
 - i. CHANGE Item Description from “Source LS-500 Earplug Dispenser” to “Source LS-500 Earplug Dispenser, mounted”
- e. EL142
 - i. CHANGE Item Description from “Safety Glasses Dispenser” to “Safety Glasses Dispenser, mounted”
- f. EL150
 - i. CHANGE Quantity from 10,000 to 5,000
- g. EL151
 - i. CHANGE Quantity from 5,000 to 2,500
- h. EL152
 - i. CHANGE Quantity from 5,000 to 2,500
- i. EL153
 - i. CHANGE Quantity from 5,000 to 2,500
- j. EL154
 - i. CHANGE Quantity from 1,000 to 500
- k. EL155
 - i. CHANGE Make & Model from “5,000' of black, white, red, green, blue” to “2,500' of black, white, red, green, blue”
 - ii. CHANGE Quantity from 25,000 to 12,500
- l. EL156
 - i. CHANGE Quantity from 10,000 to 5,000
- m. EL157
 - i. CHANGE Quantity from 5,000 to 2,500
- n. EL158
 - i. CHANGE Quantity from 5,000 to 2,500
- o. EL159

- i. CHANGE Quantity from 1,000 to 500
 - p. EL168
 - i. ADD Manufacturer “Square D”
 - ii. ADD Make & Model “QO612L100S”
 - iii. CHANGE Quantity from 10 to 5
 - q. EL169
 - i. ADD Manufacturer “Square D”
 - ii. ADD Make & Model “QO612L100S”
 - iii. CHANGE Quantity from 10 to 5
 - r. EL170
 - i. ADD Manufacturer “Siemens”
 - ii. ADD Make & Model “SN4060B1200 SN Series”
 - s. EL171
 - i. ADD Manufacturer “Siemens”
 - ii. ADD Make & Model “SN4060B1200 SN Series”
- 7. Health
 - a. HA101
 - i. CHANGE Manufacturer from “U-Line” to “ARJO”
 - ii. CHANGE Make & Model from “H-9769GR” to “Bedside Cabinet”
 - b. ADD HA101A
 - i. Item Description “Nightstand for Model Apartment, Black”
 - ii. Manufacturer “Wayfair”
 - iii. Make & Model “Black Authentent Nightstand (Set of 2)”
 - iv. Quantity 1
 - c. HA107
 - i. CHANGE Quantity from 6 to 0

- d. HA108
 - i. CHANGE Quantity from 6 to 0
- e. HA109
 - i. CHANGE Item Description from “Clocks each bed” to “Clocks each bed, mounted”
- f. HA110
 - i. CHANGE Item Description from “Blood pressure arms” to “Gold Blood Pressure Monitor, Premium Upper Arm Cuff, Digital Bluetooth Machine”
 - ii. CHANGE Make & Model from “OMRBP7000” to “Amazon”
 - iii. CHANGE Quantity from 6 to 8
- g. HA139
 - i. ADD Quantity 1
- h. ADD HA148
 - i. Item Description “Manual Stand Aid”
 - ii. Manufacturer “Bestcare Lifts”
 - iii. Make & Model “Spryte”
 - iv. Quantity 2
- i. ADD HA149
 - i. Item Description “Bluetooth Teaching Stethoscope, Black Finish”
 - ii. Manufacturer “Amazon”
 - iii. Make & Model “Littman”
 - iv. Quantity 2
- j. ADD HA150
 - i. Item Description “Blood Pressure Cuff Holder, mounted”
 - ii. Manufacturer “Medline”
 - iii. Make & Model “Sphygmomanometers Inflation System Wall Baskets”
 - iv. Quantity 6

- k. ADD HA151
 - i. Item Description “Blood Pressure Cuff Large Adult”
 - ii. Manufacturer “McKesson”
 - iii. Make & Model “LUMEON Replacement Blood Pressure Cuff with Bulb and Valve, Nylon Cuff, 2-Tube Bladder, Burgundy, Adult Large”
 - iv. Quantity 6
 - l. ADD HA152
 - i. Item Description “Blood Pressure Cuff Pediatric”
 - ii. Manufacturer “McKesson”
 - iii. Make & Model “LUMEON Blood Pressure Cuff and Bulb, Green, Child Small”
 - iv. Quantity 6
 - m. ADD HA153
 - i. Item Description “Wire Shelving with wheels”
 - ii. Manufacturer “Wayfair”
 - iii. Make & Model “WFX - Black 60" W Height -Adjustable Shelving Unit with Wheels”
 - iv. Quantity 3
 - n. ADD HA154
 - i. Item Description “Cell Phone Locked Case with Charging”
 - ii. Manufacturer “He Xiang Firm”
 - iii. Make & Model “Mobile Phone Charging Cabinet Transparent Locking Multi Compartment Mobile Phone Storage Box (Color : Silver-48)”
 - iv. Quantity 1
8. Environmental Science – Wildlife
- a. ADD ES103A
 - i. Item Description “CF Card Reader - USB 3.0 Memory Card Reader Adapter - for SDXC, SDHC, SD, Micro SDXC, Micro SD, Micro SDHC, M2, MS, CF and UHS-I Card”

- ii. Manufacturer “ZIYUETEK”
 - iii. Make & Model “Amazon”
 - iv. Quantity 10
9. Environmental Science – Field Guides, Textbooks, etc.
- a. ES428
 - i. CHANGE Make & Model from “9.78091E+12” to “9780912550015”
 - b. ES429
 - i. CHANGE Make & Model from “9.78091E+12” to “9780912550039”
 - c. ES430
 - i. CHANGE Make & Model from “9.78091E+12” to “9780912550336”
 - d. ES431
 - i. CHANGE Make & Model from “9.78091E+12” to “9780912550008”
 - e. ES432
 - i. CHANGE Make & Model from “9.78091E+12” to “9780912550312”
 - f. ES433
 - i. CHANGE Make & Model from “9.78091E+12” to “9780912550343”
 - g. ES434
 - i. CHANGE Make & Model from “9.78091E+12” to “9780912550244”
 - h. ES435
 - i. CHANGE Make & Model from “9.78091E+12” to “9780912550152”
 - i. ES436
 - i. CHANGE Make & Model from “9.78091E+12” to “9780912550176”
 - j. ES439
 - i. CHANGE Make & Model from “9.78096E+12” to “9780963465757”

ADDITIONAL ATTACHMENTS:

1. none

END OF ADDENDUM NO. 1