

THE CITY OF WALTHAM  
MASSACHUSETTS

PURCHASING DEPARTMENT

**PROCURE AND INSTALL FOOD SERVICE EQUIPMENT**

**ADDENDUM NO.2**

May 5, 2017

**CHANGES, CORRECTIONS AND CLARIFICATIONS**

The attention of bidders submitting proposals for the above subject project is called to the following addendum to the specifications. The items set forth herein, whether of omission, addition, substitution or clarification are all to be included in and form a part of the proposal submitted.

THE NUMBER OF THIS ADDENDUM (NO. 2) MUST BE ACKNOWLEDGED AS RECEIVED IN THE BIDDER'S COVER LETTER

---

**ITEM 1: DELETE & REPLACE**

**DELETE the current bid Sheet/ Price sheet and REPLACE it with the following updated one reflecting a trade in allowance for the old removed equipment and alternate pricing for a Cold Food Well Unit, Drop-In, Refrigerated**

**End of Addendum 2**

## FOOD SERVICE EQUIPMENT BID

Qty	Description:	Unit Price:	Extended Price:
	<b>ALL EQUIPMENT IS INSTALLED ON SITE</b>		
	<b>Utility Serving Counter:</b>		
1	Buffet Style Utility Unit Serving Counter, 27" L x 35" H x 30 3/4" W, mobile modular design, enclosed base, solid top unit, stainless steel top, extruded aluminum frame, with laminate exterior panels, 5" swivel casters, (2) with brakes.		
1	Modify counter height, under 27"		
2	TS-2 Tray Slide, 12" W, stainless steel, solid, ribbed, rolled edge		
1	RPS-2 Sliding Doors, removable for 36 1/4" L units		
1	PCS Power cord, special, 7 to 10 ft. long		
1	SL-BL Stainless steel 6" legs in lieu of casters (modifies body to 6" A.F.F.)		
1	RM-2 Cold Food Drop-In Unit, 2-pan size, 18/304 stainless steel top and liner with 3" recess, holds (2) 12" x 20" pans, self-contained refrigeration, insulated pan with 22 gauge galvanized outer case, 3/4" drain with strainer, 30 1/4" W x 24 1/2" D cutout required, NSF 7, UL		
	<b>Sneeze Guard, Stationary (matches above):</b>		
1	Zguard: 33" x 27" – Includes (2) Zguard 9930-2 Adjustable with Top Shelf and Double Sided Series End Post(s) S/S Post # 4 Finish, Brushed Aluminum Bracket Finish, 3/8" tempered glass front panels and 3/8" top shelves, (1) 1/4" tempered glass Right end panel, (1) 1/4" tempered glass Left end panel. Includes Heat Lamps or Lights		
	<b>Sneeze Guard, Stationary (Hot):</b>		
2	Gardian Sneeze Guard, 49" W , self-service protector with 8 1/2" top shelf & (2) end glass panels, 3/8" clear tempered glass panels with radius corners, powder coated, NSF		
2	Black texture powder coat finish		
2	Glass, clear tempered, 3/8" front, standard		
2	Glass, clear tempered, 3/8" top, standard		
	<b>Sneeze Guard, Stationary (Hot):</b>		
2	Gardian Sneeze Guard, 62 3/4" W, full service protector with 14" top shelf & (2) end glass panels, 3/8" clear tempered glass panels with radius corners, powder coated, NSF		
2	Satin clear anodized aluminum finish		
2	Glass, clear tempered, 3/8" front, standard		
2	Glass, clear tempered, 3/8" top, standard		
	<b>ALL EQUIPMENT IS INSTALLED ON SITE</b>		
	<b>Sneeze Guard, Stationary (Cold):</b>		

## FOOD SERVICE EQUIPMENT BID

Qty	Description:	Unit Price:	Extended Price:
2	Zguard: 59.25" - Includes (2) Zguard 9930 Adjustable with Top Shelf Series End Post(s) S/S Post # 4 Finish, Brushed Aluminum Bracket Finish, 3/8" tempered glass front panels and 3/8" top shelves, (1) 1/4" tempered glass Right end panel, (1) 1/4" tempered glass Left end panel. Includes Heat Lamps or Lights <b>Sneeze Guard, Stationary (Cold):</b>		
2	Zguard: 63" - Includes (2) Zguard 9930 Adjustable with Top Shelf Series End Post(s) S/S Post # 4 Finish, Brushed Aluminum Bracket Finish, 3/8" tempered glass front panels and 3/8" top shelves, (1) 1/4" tempered glass Right end panel, (1) 1/4" tempered glass Left end panel. Includes Heat Lamps or Lights <b>Boilerless Convection Steamer:</b>		
1	(Quick Ship) Connected Evolution Boilerless, Convection Steamer featuring Steam Vector Technology, flush mount countertop, natural gas, holds (6) 12" x 20" x 2 1/2" deep pans, Digital Controls, water and drain connection required, warranty NOT voided by water quality, NO water filtration required, 60,000 BTU, 120/60/1 ph, 5' cord & NEMA 5-15P, Energy Star.		
1	Lifetime service and support guarantee		
1	Alternate voltages available, contact factory for details		
1	SNH-10-00 Support Stand, for single Steam'N'Hold or Evolution units, standard mounting height: 34 7/8" to bottom, stainless steel, with adjustable bullet feet <b>Meat Slicer:</b>		
1	Heavy Duty Meat Slicer, manual, 13" Clean Cut removable knife with removal tool, burnished finish, removable meat grip assembly, removable ring guard cover, single action top mounted sharpener with Borazon stones, cleaning kickstand, 1/2 hp motor, 5.4 amps., 120v/60hz/1-ph, NSF cETLus		
<b>ALL EQUIPMENT IS INSTALLED ON SITE</b>			
1	<b>Food Slicer:</b> Premium Series Slicer, manual, gravity feed, 13" diameter knife, variable slice thickness 0" – 0/875" (0.22mm), top mounted knife sharpener, gear-driven, anodized aluminum construction, .37kW, 1/2 hp motor, ETL, NSF		
1	115v/60/1-ph, 5.4 amps.		
1	German hollow-ground, chrome-plated blade <b>Cash Register Stand:</b>		
1	Signature Server with Stainless Steel Countertops, 34" high ADA Cashier Station, 28" L, 28" W,		

## FOOD SERVICE EQUIPMENT BID

Qty	Description:	Unit Price:	Extended Price:
	modular, without cashier drawer, operator side open with stainless steel flood, NSF		
1	36685 Matte Laminate finish for Signature Server with Stainless Steel Countertops Cashier Station (must specify manufacturer's laminate number)		
2	3752150-2-C Customer Side Tray Slide – V-rib, with lift-off bracket, ADA Signature Server with Stainless Steel Countertops, 28” W x 12” D		
1	36945 Signature Server Cash Drawer, locking, drawer bell, steel construction, black powder coated finish, includes: ABS plastic removable money tray, with (5) coins & (5) bills capacity, stainless steel bill clips/hold downs, aluminum coin breaking plate		
1	36946 Duplex Receptacle for cashier stand, 120v, 10 amp (includes 2” diameter cutout)		
	<b>Tilting Skillet, Gas:</b>		
1	Tilting Skillet, gas, 40 gallon capacity, modular enclosed cabinet base, standard with manual tilt mechanism, stainless steel pan and frame, 126,000 BTU		
1	Natural Gas		
1	120v/60/1ph, standard		
1	98-6002 Single Pantry Faucet, complete kit with brackets and plumbing		
	<b>Milk Cooler:</b>		
1	Mobile Milk Cooler, Forced-Air, 12 crates, Dual Sided stainless steel drop front/hold-open flip-up lids, locks, 33-38°F, white vinyl exterior, stainless steel interior & floor, (2) heavy duty floor racks, digital thermometer, 4” castors, 1/3hp, 115v/60/1, 6.7 amps, 9’ cord, NEMA 5-15P, cULus, made in USA		
1	Self-contained refrigeration standard		
1	Warranty – 5 year compressor (self-contained only)		
1	Warranty – 3 year parts and labor		
1	Exterior color decal contact factory		

**Grand Total**

**Less allowance for the trade in equipment (Removed Equipment) (\$ \_\_\_\_\_ )**

**Net Grand Total**

**ALL EQUIPMENT IS INSTALLED ON SITE**

- \* The City reserves the right to purchase greater quantities at the unit price bid.
- \* Bid Award is based on the total, for all units, of the extended price column.
- \* Unless indicated otherwise, all units are guaranteed, parts and labor on-site, for 1 year from delivery and includes travel time.
- \* Vendor is required to assemble all units on-site.

## FOOD SERVICE EQUIPMENT BID

Qty	Description:	Unit Price:	Extended Price:
-----	--------------	-------------	-----------------

### Alternate Unit

COLD FOOD WELL UNIT, DROP-IN, REFRIGERATED	PRICE
Atlas Metal, Model WCM-2	\$
Dimensions: 23.63(h) x 29.75(w) x 24(d)	
Cold Food Drop-In Unit, refrigerated, 2-pan size, self-contained refrigeration, insulated pan, stainless steel inner liner & top, galvanized steel outer liner, with on/off thermostat switch & pilot light	
1 ea - A 3/4" diameter drain & valve, separator channels are provided	
1 ea- 120v/60/1-ph, 1/5 hp, 3.9 amps, NEMA 5-15P, standard	
1 ea - 5-year compressor warranty (net)	
1 ea - Model #2060-1 Condensate Evaporator	
1 ea - Model S80103 Separator Channel, 20"	