

City of Waltham  
Purchasing Department  
Waltham, Massachusetts 02452  
**ADDENDUM NO. 3**  
**March 22<sup>nd</sup>, 2019**

Plans & Specifications for: **Bobby Connors Playground Improvements, Waltham, MA**

TO: ALL PLAN HOLDERS

This Addendum No. 3 is to modify, correct and/or supplement the Plans and Specifications.

Bidders are hereby informed that Plans and Specifications for the above-mentioned project are modified, corrected and/or supplemented as follows and that Addendum No. 3 becomes a part of the Contract Documents. Addendum No. 3 consists of changes described in Item 1.

The number of this Addendum (No. 3) must be acknowledged as received on the Form for General Bid, 3100-1.

THE FOLLOWING REVISIONS ARE MADE A PART OF THIS CONTRACT

In accordance with documents prepared by: *Carolyn Cooney & Associates (CCA)*

**ITEMS**

**ITEM NO. 1** Revision to Specification Section 13 34 23 Shade Shelter. Note: Lightening protection kit is not available through Poligon.

Add the following paragraph 2.02 as follows:

**"2.02 LIGHTNING PROTECTION**

- A. The Contractor shall furnish a complete lightning protection system for each shade shelter. The system shall include strike termination devices, interconnecting conductors and a proper grounding system. The system design shall comply with the National Fire Protection Association (NFPA) Standard #780, the Lightning Protection Institute (LPI) Standard #175, and Underwriters' Laboratories, Inc. (UL) Standard #96A. The manufacturer of the material components shall be a manufacturer member of the Lightning Protection Institute, and all materials shall be listed and labeled in accordance with the requirements of UL Standard #96. The system installation shall be made under the supervision of an LPI Certified Master Installer. Upon completion, the Contractor shall deliver to the Owner an as-built drawing and the appropriate system certification documents under the UL and LPI programs. Possible designer, supplier and installer, Smokestack Lightning, Brookfield, MA 508-867-9233."

END OF ADDENDUM NO. 3